

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Rows
1	IS&R	L24	6158	(436/43,164,167,171,518,525,527,528,529,805).CCLS.	USPA T	2003/12/1 1 14:39			0
2	BRS	L25	794	24 and optic\$ near4 (sensor or detector or probe)	USPA T	2003/12/1 1 14:39			0
3	BRS	L26	15	25 and waveguid\$ near4 grating	USPA T	2003/12/1 1 14:39			0
4	BRS	L27	15	26 and (chip or wafer or substrate)	USPA T	2003/12/1 1 14:39			0
5	BRS	L28	1	25 and multidiffractive adj grating	USPA T	2003/12/1 1 14:40			0
6	BRS	L29	4	25 and sens\$ adj pad	USPA T	2003/12/1 1 14:45			0
7	BRS	L31	517	25 and (capillar\$ or \$channel or conduit or groove)	USPA T	2003/12/1 1 14:41			0
8	BRS	L32	749	25 and (capillar\$ or \$channel or conduit or groove or well)	USPA T	2003/12/1 1 14:46			0
9	BRS	L33	1	32 and (in or out) adj coupling adj grating	USPA T	2003/12/1 1 14:41			0
10	BRS	L34	112	32 and ccd adj (camera or detector or sensor)	USPA T	2003/12/1 1 14:42			0
11	BRS	L35	1	34 and dextran near4 (sens\$ or measur\$ or detect\$)	USPA T	2003/12/1 1 14:42			0
12	BRS	L36	36	34 and laser adj diode	USPA T	2003/12/1 1 14:43			0
13	BRS	L37	104	25 and laser adj diode	USPA T	2003/12/1 1 14:44			0
14	IS&R	L38	1147	(73/1.01,1.02,23.2,53.01).CCLS.	USPA T	2003/12/1 1 14:44			0

EAST SEARCH STRATEGY

10/05/01

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Rows
15	BRS L39	101	38 and optic\$ near4 (sensor or detector or probe)	USPA T	2003/12/1 1 14:45			0
16	BRS L40	0	39 and waveguid\$ near4 grating	USPA T	2003/12/1 1 14:45			0
17	BRS L41	0	39 and multidiffractive adj grating	USPA T	2003/12/1 1 14:45			0
18	BRS L42	1	39 and laser adj diode	USPA T	2003/12/1 1 14:57			0
19	BRS L43	0	39 and sens\$ adj pad	USPA T	2003/12/1 1 14:46			0
20	BRS L44	83	39 and (capillar\$ or \$channel or conduit or groove or well)	USPA T	2003/12/1 1 14:55			0
21	BRS L45	2	44 and ccd adj (camera or detector or sensor)	USPA T	2003/12/1 1 14:47			0
22	IS&R L46	1551	(356/213, 300, 303, 432, 450, 460).CCLS.	USPA T	2003/12/1 1 14:47			0
23	BRS L47	588	46 and optic\$ near4 (sensor or detector or probe)	USPA T	2003/12/1 1 14:47			0
24	BRS L48	9	47 and waveguid\$ near4 grating	USPA T	2003/12/1 1 14:47			0
25	BRS L49	0	47 and multidiffractive adj grating	USPA T	2003/12/1 1 14:48			0
26	BRS L50	3	47 and sens\$ adj pad	USPA T	2003/12/1 1 14:57			0
27	BRS L51	0	48 and sens\$ adj pad	USPA T	2003/12/1 1 14:48			0
28	BRS L52	490	47 and (capillar\$ or \$channel or conduit or groove or well)	USPA T	2003/12/1 1 14:48			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Rows
29	BRS	L53	0	52 and (in or out) adj coupling adj grating	USPA T	2003/12/1 1 14:56			0
30	BRS	L54	0	47 and (in or out) adj coupling adj grating	USPA T	2003/12/1 1 14:49			0
31	BRS	L55	112	47 and laser adj diode	USPA T	2003/12/1 1 14:49			0
32	BRS	L56	2	47 and dextran near4 (sens\$ or measur\$ or detect\$)	USPA T	2003/12/1 1 14:50			0
33	IS&R	L57	5762	(422/50,57,58,68,1,69,82.05,82.06,82.08,82.09,82.11,83,91).CCLS	USPA T	2003/12/1 1 14:53			0
34	BRS	L58	1183	57 and optic\$ near4 (sensor or detector or probe)	USPA T	2003/12/1 1 14:54			0
35	BRS	L59	20	58 and waveguid\$ near4 grating	USPA T	2003/12/1 1 14:55			0
36	BRS	L60	1	59 and multidiffractive adj grating	USPA T	2003/12/1 1 14:55			0
37	BRS	L61	1097	58 and (capillar\$ or \$channel or conduit or groove or well)	USPA T	2003/12/1 1 14:55			0
38	BRS	L62	1	61 and (in or out) adj coupling adj grating	USPA T	2003/12/1 1 14:56			0
39	BRS	L63	138	61 and laser adj diode	USPA T	2003/12/1 1 14:57			0
40	BRS	L64	3	63 and sens\$ adj pad	USPA T	2003/12/1 1 14:57			0